

hyperspectral author:"t mitchell"

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 1 of 1 for hyperspectral author:"t mitchell". (0.05 seconds)

Tip: Try removing quotes from your search to get more results.

<u>Conformal dome correction with counterrotating phase plates</u> - <u>group of 2 »</u> SW Sparrold, JP Mills, DJ Knapp, KS Ellis, TA ... - Optical Engineering (Bellingham, Washington), 2006 - link.aip.org

... in Bethlehem, PA, where his activities include the development of high-performance optical systems, including **hyperspectral** imagers, optical interconnects, and ... <u>Cited by 1 - Related Articles - Web Search - BL Direct</u>

hyperspectral author:"t mitchell"

Search

Google Home - About Google - About Google Scholar

©2006 Google



hyperspectral slit housing dispersive

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles Recent articles Results 1 - 10 of about 21 for hyperspectral slit housing dispersive. (I

All Results

K Lawrence

B Park

W Windham

C Mao L Liao Mid-wave/long-wave infrared dual-octave hyperspectral imaging spectrometer

JR Schwartz, J Kocjan, D Driscoll - Aerospace Conference, 2003. Proceedings. 2003 IEEE,

2003 - ieeexplore.ieee.org

... involves multiple FPAs, and equal number of dispersive elements (eg ... images down to

a slit and the slit is reimaged ... Figure 6 - HYLITE IR Hyperspectral Instrument ...

Web Search

Calibration of a pushbroom **hyperspectral** imaging system for agricultural inspection - group of 3 »

KC Lawrence, B Park, WR Windham, C Mao - Trans. ASAE, 2003 - asae.frymulti.com ... I MAGING S YSTEM A hyperspectral imaging system ... mm entrance-slit width, an effect

slit length of ... was then screwed into a machined aluminum housing, which was ... Cited by 21 - Related Articles - Web Search - BL Direct

<u>Hyperspectral imaging sensor for the coastal environment</u> - group of 3 »

J Fisher, JA Antoniades, C Rollins, L Xiang - International Optical Design Conference, 1998 - brandywineoptics.com

... to have certain advantages over other **hyperspectral** technologies such as ... with 1X magnification from the **slit** to the ... and SWIR; therefore a single **housing** can be ... Cited by 1 - Related Articles - View as HTML - Web Search

<u>Characteristics and Capabilities of the Hyperspectral Imaging Microscope</u> W Overview - ieeexplore.ieee.org

... 4]. We have developed a prototype **Hyperspectral** Imaging Microscope ... Xenon arc lamp in the Olympus U-UHL **Housing**. ... pixel ±0.0055 nm (Figure 1). The **slit**, with a ... Related Articles - Web Search

Calibration of Imaging Spectrometry System for Inspection of Contaminated Poultry Carcasses - group of 2 »

KC Lawrence, B Park, WR Windham, C Mao - ASAE Meeting Paper No, 2001 - asae.frymulti.com

... Fixed to the slit end of the spectrograph/aluminum housing assembly is a ... For spectral calibration of the hyperspectral imaging system, an Optronic ...

Cited by 5 - Related Articles - Web Search

Performance characterization of the hyperion imaging spectrometer instrument - group of 8 »

L Liao, P Jarecke, D Gleichauf, T Hedman - PROC SPIE INT SOC OPT ENG, 2000 - carstad.gsfc.nasa.gov

... co-alignment, spectral wavelength calibration, spectrometer slit profile, and ... They are the Lewis Hyperspectral Imager for the NASA ... QTH Lamp Housing Light Pipe ... Cited by 21 - Related Articles - View as HTML - Web Search - BL Direct

IMAGING FOURIER TRANSFORM SPECTROMETERS FOR ENVIRONMENTAL SENSING Leonard John Otten III, Associate

AD Meigs, S Scientist, BA Jones, S Designer, RG ... - pdf.aiaa.org ... applications '.ln addition, several hyperspectral imaging sensors ... Ina dispersive design, an improvement in spectral ... a narrowing of the entrance slit which in ... Related Articles - Web Search

A VARIABLE-DISPERSION MICRO-SPECTROMETER

EA Shields - 2003 - ece.umn.edu

... & Niblack, 1987] and the **Hyperspectral** Digital Imagery ... As the **slit** width is increased the spatial ... across the **dispersive** element causes destructive interference ... Related Articles - View as HTML - Web Search - Library Search

Michael E. Schaepman Calibration of a Field Spectroradiometer

NIF Spectroradiometer, SIS Validation, HS ... - gershwin.ens.fr

... Calibration and Characterization of a Non-Imaging Field Spectroradiometer Supporting Imaging Spectrometer Validation and **Hyperspectral** Sensor Modelling Vol.31 ... Related Articles - View as HTML - Web Search

Flight experience of the Compact High-Resolution Imaging Spectrometer (CHRIS) - group of 6 »

MA Cutter, LS Johns, DR Lobb, TL Williams, JJ ... - Proceedings of SPIE, 2003 - earth.esa.int

... will feed into the design decisions of hyperspectral systems for ... image of Earth onto the entrance slit of a ... close to the CCD within the spectrometer housing. ... Cited by 2 - Related Articles - View as HTML - Web Search

Google

Result Page: 1 2 3

hyperspectral slit housing dispersive

Search

Google Home - About Google - About Google Scholar

©2006 Google



hyperspectral slit housing dispersive

1990 -

2002

Search

Ad\ Sch Sch

Scholar

Results 1 - 8 of 8 for hyperspectral slit housing dispersive. (0.24 seconds)

All Results

L Liao
J Harlander
P Jarecke
D Gleichauf
T Hedman

Hyperspectral imaging sensor for the coastal environment - group of 3 »

J Fisher, JA Antoniades, C Rollins, L Xiang - International Optical Design Conference, 1998 - brandywineoptics.com

... to have certain advantages over other **hyperspectral** technologies such as ... with 1X magnification from the **slit** to the ... and SWIR; therefore a single **housing** can be ... <u>Cited by 1 - Related Articles - View as HTML - Web Search</u>

Calibration of Imaging Spectrometry System for Inspection of Contaminated Poultry Carcasses - group of 2 »

KC Lawrence, B Park, WR Windham, C Mao - ASAE Meeting Paper No, 2001 - asae.frymulti.com

... Fixed to the slit end of the spectrograph/aluminum housing assembly is a ... For spectral calibration of the hyperspectral imaging system, an Optronic ... Cited by 5 - Related Articles - Web Search

<u>Performance characterization of the hyperion imaging spectrometer</u> instrument - group of 8 »

L Liao, P Jarecke, D Gleichauf, T Hedman - PROC SPIE INT SOC OPT ENG, 2000 - carstad.gsfc.nasa.gov

... co-alignment, spectral wavelength calibration, spectrometer slit profile, and ... They are the Lewis Hyperspectral Imager for the NASA ... QTH Lamp Housing Light Pipe ... Cited by 21 - Related Articles - View as HTML - Web Search - BL Direct

SHIMMER: a spatial heterodyne spectrometer for remote sensing of Earth's middle atmosphere - group of 8 »

JM Harlander, FL Roesler, JG Cardon, CR Englert, ... - Appl. Opt, 2002 - OSA ... spectrom- eters that require a narrow slit to achieve high ... is a rigorous test of any hyperspectral imaging technology ... The cover plate of the housing unit also ... Cited by 10 - Related Articles - Web Search - BL Direct

[воок] <u>Further Developments in Scientific Optical Imaging - group of 3 »</u> МВ Denton - 2000 - books.google.com

... Detection of solated Manmade Objects Using Hyperspectral Imagery ... from access ports on each side of the housing. ... closely, effectively scanning a slit across the ... Related Articles - Web Search - Library Search

MightySat II- On-orbit lab bench for Air Force Research Laboratory - group of 2 »

J Freeman, C Rudder, P Thomas - AIAA/USU Annual Conference on Small Satellites, 12 th, Utah ..., 2000 - smallsat.org

... for the hyperspectral imager (HSI). ... HSI to use state-of-the-art Fourier Transform technique and may provide improvement over traditional dispersive- or grating ... View as HTML - Web Search

Near Infrared Spectrometer for the Near Earth Asteroid Rendezvous Mission - group of 4 »

JW Warren, K Peacock, EH Darlington, SL Murchie, ... - Space Science Reviews, 1997 - Springer

... Hyperspectral image cubes are built up by a combination ... is actually mounted to the detector housing rather than ... The magnification from the entrance slit to the ... Cited by 13 - Related Articles - Web Search

воок Spectral Measurements Field Guide.

J Salisbury - 1998 - dpinstruments.com

... Together, overhead and ground-based measurements will promote the ultimate goal of hyperspectral remote sensing, which is the ability to identify unknown ... Cited by 5 - Related Articles - View as HTML - Web Search - Library Search

> hyperspectral slit housing dispersive Search

Google Home - About Google - About Google Scholar

©2006 Google

search

10/5/06

Dialog	DataS	tar,			4.4. 3	
options	logaff	- feedback	help			***
			(tatabase)		INSPECKG.	
		•••••	Advanced S	Search:		***************************************
			Inspec - 1898 to		•	
	••••	***************************************	(1)			

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	mitchell-t\$	unrestricted	569	<u>show titles</u>
2	INZZ	1 AND hyperspect\$	unrestricted	0	-
3	INZZ	1 AND housing	unrestricted	0	•
5	INZZ	1 AND spectr\$	unrestricted	14	show titles
6	INZZ	hyperspectr\$	unrestricted	2592	show titles
7	INZZ	hyper NEAR spectr\$	unrestricted	114	show titles
8	INZZ	6 OR 7	unrestricted	2704	<u>show titles</u>
9	INZZ	housing OR enclosure OR subhousing OR casing	unrestricted	17071	show titles
10	INZZ	8 AND 9	unrestricted	2	show titles

<u>hide</u> | <u>delete all search steps...</u> | <u>delete individual search steps...</u>

Enter your search term(s): Search tip	s 🗖 Thesaurus mapping	
	whole document	
Information added since: (YYYYMMDD)	or: none	
☐ Documents with images		
Select special search terms from the f Publication year 1950- Publication year 1898-1949	following list(s):	
Inspec thesaurus - browse headin	gs A-G	
Inspec thesaurus - browse headin	gs H-Q	
Inspec thesaurus - browse headin	gs R-Z	
Inspec thesaurus - enter a term		
Classification codes A: Physics, 0-	1	
Classification codes A: Physics, 2-	3	
Classification codes A: Physics, 4-	5	

EAST Search History INTERFERENCE K.G.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	862	(hyperspectr\$ spectr\$ near2 (imaging imager image)).clm.	US-PGPUB	OR	ON	2006/10/05 10:52
L2	107436	(housing casing enclosure).clm.	US-PGPUB	OR	ON	2006/10/05 10:52
L3	50323	(dispers\$5 diffract\$ grating prism grism).clm.	US-PGPUB	OR	ON	2006/10/05 10:52
L4	8	1 and 2 and 3	US-PGPUB	OR	ON	2006/10/05 10:53

10/5/06 10:54:21 AM Page 1